


Main Street Seatwalls

Huntington Beach Main Street Existing Seatwalls Location Map



4/17/2026

Huntington Beach Main Street

Existing Seatwall Variations



BRICK SEATWALL
QUANTITY: 4




BRICK SEATWALL WITH IN GROUND PLANTER
QUANTITY: 10



CONCRETE SEATWALL
QUANTITY: 1

Huntington Beach Main Street Seatwalls

Existing Seatwalls



Note: Existing tree and planting to remain.

It was observed that no electrical connection was in existing planters, therefore tree uplighting is not feasible.

Keynotes

1. (E) Brick dividers and seatwall cap to be removed.
2. (E) Brick seatwall reveal veneer to be removed.
3. (E) Tree and planting to remain. Protect-in-place during wall improvements/construction.
4. (E) Brick veneer to be removed
5. (E) Adjacent paving to remain. Protect-in-place during wall improvements/construction.
6. (E) Skate stoppers

NOTE: Based on field observations, it is assumed that the (E) wall behind the brick is concrete and can remain in place, with improvements applied cosmetically. Refer to options.


Existing wall sizes:

12'-6" (Outside diameter)

10'-2" (Inside diameter)

18" H - 23" H (varies, design options to account for varying heights)

It was observed that the planting areas had existing irrigation. This is to remain and be protected-in-place during construction.



Existing Seatwall Section

Huntington Beach Main Street Seatwalls

Painted Brick with Precast Concrete Caps



Pre-cast concrete wall cap in sand color with acid etch texture



Cast-in-place concrete wall cap in sand color with seashells



Alternate: Cast-in-place concrete wall cap in sand color with seaglass